






NOTES:
MATERIAL: Halogen Free PLASTIC,
HIGH TEMP, UL 94V-0

P/N LEGEND
50285-XXX H X X X-XXX

NO OF CKT	XXX	LOGO	Halogen Free
Polarization 0: None	001	YES	HF

MATERIAL: _____ COLOR
0:WHITE
1:BLACK
D±0.1



CKT	DIM A	DIM B	DIM C	DIM D
2	1.25	6.00	3.05	CEN.
3	2.50	7.25	4.30	CEN.
4	3.75	8.50	5.55	2.50
5	5.00	9.75	6.80	3.75
6	6.25	11.00	8.05	5.00
7	7.50	12.25	9.30	6.25
8	8.75	13.50	10.55	7.50
9	10.00	14.75	11.80	8.75
10	11.25	16.00	13.05	10.00
12	13.75	18.50	15.55	12.50
13	15.00	19.75	16.80	13.75
14	16.25	21.00	18.05	15.00
15	17.50	22.25	19.30	16.25
16	18.75	23.50	20.55	17.50
17	20.00	24.75	21.80	18.75
18	21.25	26.00	23.05	20.00
19	22.50	27.25	24.30	21.25

QUALITY SYMBOLS MAJOR Ⓜ CRITICAL Ⓢ GENERAL TOLERANCES (UNLESS SPECIFIED) X ±0.5 XX ±0.25 XXX ±0.15 XXX ±0.1 ANGLES ±2°	DRAWN BY ZHOUQUAN	DATE 18/09/20	
	CHECKED BY BRAVE	DATE 18/09/20	
	APPROVED BY BRAVE	DATE 18/09/20	PART NO. P-50285-XXXHXXX-XXX
	UNITS mm		SHEET NO. A4
	SCALE 2:1	QUANTITY 1 OF 3	REV. NO. H
			SEE NOTES









NOTES:
MATERIAL: Halogen Free PLASTIC,
HIGH TEMP, UL 94V-0

P/N LEGEND
50285-XXX H X X X-XXX


XXX	LOGO	Halogen Free
001	YES	HF

NO OF CKT
Polarization
0: None
MATERIAL
COLOR
0:WHITE
1:BLACK



CKT	DIM A	DIM B	DIM C	DIM D
20	23.75	28.50	25.55	22.50
25	30.00	34.75	31.80	28.75
29	35.00	39.75	36.80	33.75
30	36.25	41.00	38.05	35.00

QUALITY SYMBOLS MAJOR Ⓢ CRITICAL Ⓢ GENERAL TOLERANCES (UNLESS SPECIFIED) X ±0.5 XX ±0.25 XXX ±0.15 XXX ±0.1 ANGLES ±2°	DRAWN BY ZHOUCUAN 18/09/20	DATE 18/09/20	
	CHECKED BY BRAVE 18/09/20	DATE 18/09/20	
	APPROVED BY BRAVE 18/09/20	DATE 18/09/20	P-50285-XXXHXXX-XXX SEE NOTES
	UNITS mm SCALE 2:1	 3 OF 3	SIZE A4 NEW H








NOTES:
MATERIAL: Halogen Free PLASTIC,
HIGH TEMP, UL 94V-0

P/N LEGEND
50285-XXX H X X X-XXX
NO OF CKT
Polarization
0: None

XX	LOGO	Halogen Free	NOTES
002	YES	HF	FOR ECOVACS

MATERIAL:
H: NPG25

COLOR
0: WHITE
1: BLACK



CKT	DIM A	DIM B	DIM C	DIM D
2	1.25	6.00	3.05	CEN.
3	2.50	7.25	4.30	CEN.
4	3.75	8.50	5.55	2.50
5	5.00	9.75	6.80	3.75
6	6.25	11.00	8.05	5.00
7	7.50	12.25	9.30	6.25
8	8.75	13.50	10.55	7.50
9	10.00	14.75	11.80	8.75
10	11.25	16.00	13.05	10.00
12	13.75	18.50	15.55	12.50
13	15.00	19.75	16.80	13.75
14	16.25	21.00	18.05	15.00
15	17.50	22.25	19.30	16.25
16	18.75	23.50	20.55	17.50
17	20.00	24.75	21.80	18.75
18	21.25	26.00	23.05	20.00
19	22.50	27.25	24.30	21.25

QUALITY SYMBOLS MAJOR Ⓜ CRITICAL Ⓢ GENERAL TOLERANCES (UNLESS SPECIFIED) X ±0.5 XX ±0.25 XXX ±0.1 ANGLES ±2°	DRAWN BY ZHOUQUAN	DATE 10/09/20	
	CHECKED BY BRAVE	DATE 10/09/20	
APPROVED BY BRAVE		DATE 10/09/20	1.25mm WTB HOUSING
UNITS mm	SCALE 2:1	SHEET NO. 2 OF 3	REV. H
PART NO. P-50285-XXXHXXX-XXX			SEE NOTES