




1. MATERIAL IS NYLON66
UL 94 V-0,COLOR IS NATURE.
2. FREE RADIUS NOT TO EXCEED R0.1mm
3. THE CAVITY MAX HEIGHT 0.10mm ABOVE SURFACE.
THE TEXT HEIGHT IS ABOUT 2mm.
4. OTHERWISE SPECIFIED PLS REFER TO STANDARD DOCUMENT NO.DC-016
5. SPEC PLS.REFER TO PS-50389-XXXXXXX-XXX

Diagram illustrating the mapping of CKTS, POLARIZATION, and MATERIAL to a table structure:

XXX	Packing	NOTES
001	Bag	NA

Mapping details:

- CKTS maps to XXX
- POLARIZATION maps to Packing
- MATERIAL maps to NOTES





Material codes and their corresponding colors:

- 0:NATURAL
- 1:BLACK

Material codes and their corresponding colors (from the diagram):

- H:NYLON 66(50000-0001-03) NATURAL
- (50000-0101-03) BLACK

QUALITY SYMBOLS MAJOR  CRITICAL 	DRAWN BY TIANYINGHONG		DATE 19/09/10		
	CHECKED BY XUZHUYONG		DATE 19/09/10		
GENERAL TOLERANCES (UNLESS SPECIFIED) X. ±0.5 .X ±0.25 .XX ±0.15 .XXX ±0.1 ANGLES ±2°	APPROVED BY XUZHUYONG		DATE 19/09/10		TITLE 2.0mm WTB Housing
	UNITS mm		SIZE A4	DWG NO. 50389-XXXHXXX-XXX	
	SCALE 2 : 1	SHEET NO. 1 OF 3	REV G	PART NO. SEE NOTES	



NOTES:





1. MATERIAL IS NYLON66
UL 94 V-0,COLOR IS NATURE.
2. FREE RADIUS NOT TO EXCEED R0.1mm
3. THE CAVITY MAX HEIGHT 0.10mm ABOVE SURFACE.
THE TEXT HEIGHT IS ABOUT 2mm.
4. OTHERWISE SPECIFIED PLS REFER TO STANDARD DOCUMENT NO.DC-016
5. SPEC PLS.REFER TO PS-50389-XXXHXXX-XXX

6. PART NUMBER 50389-XXX H X X X-XXX

CKTS	XXX	H	X	X	X-XXX	XXX	Packing	NOTES
POLARIZATION						002	Bag	FOR ECOVACS
MATERIAL								COLOR
H: ROILON PA66 FR3A(全原料)								0:NATURAL
(50000-0004-03)(Natural)								1:BLACK
H: ROILON PA66 FR3A(全原料)								
(50000-1001-03)(BLACK)								

2	5.80	4.65	2.00
3	7.80	6.65	4.00
4	9.80	8.65	6.00
5	11.80	10.65	8.00
6	13.80	12.65	10.00
7	15.80	14.65	12.00
8	17.80	16.65	14.00
9	19.80	18.65	16.00
10	21.80	20.65	18.00
11	23.80	22.65	20.00
12	25.80	24.65	22.00
13	27.80	26.65	24.00
14	29.80	28.65	26.00
CKTS	MID A	MID B	MID C

QUALITY SYMBOLS MAJOR  CRITICAL 	DRAWN BY DATE TIANYINGHONG 19/09/10			
	CHECKED BY DATE XUZHUYONG 19/09/10			
GENERAL TOLERANCES (UNLESS SPECIFIED) X. ±0.5 .X ±0.25 .XX ±0.15 .XXX ±0.1 ANGLES ±2°	APPROVED BY DATE XUZHUYONG 19/09/10		TITLE 2.0mm WTB Housing	
	UNITS mm		SIZE A4	DWG NO. 50389-XXXHXXX-XXX
	SCALE 2 : 1	SHEET NO. 2 OF 3	REV G	PART NO. SEE NOTES



NOTES:

1. MATERIAL IS NYLON66
UL 94 V-0,COLOR IS NATURE.
2. FREE RADIUS NOT TO EXCEED R0.1mm
3. THE CAVITY MAX HEIGHT 0.10mm ABOVE SURFACE.
THE TEXT HEIGHT IS ABOUT 2mm.
4. SPEC PLS.REFER TO PS-50389-XXXHXXX-XXX

5. PART NUMBER

50389-XXX H X X X-XXX
CKTS ————
POLARIZATION ————
0:NONE
MATERIAL ————
H:NYLON 66

XXX	Packing	NOTES
003	Bag	NA

COLOR
0:NATURAL
1:BLACK

CKTS	MID A	MID B	MID C
4	9.80	8.65	6.00

QUALITY SYMBOLS MAJOR CRITICAL GENERAL TOLERANCES (UNLESS SPECIFIED) X. ±0.5 .X ±0.25 .XX ±0.15 .XXX ±0.1 ANGLES ±2°	DRAWN BY TIANYINGHONG	DATE 19/09/10		
	CHECKED BY XUZHUYONG	DATE 19/09/10		
	APPROVED BY XUZHUYONG	DATE 19/09/10	TITLE 2.0mm WTB Housing	
	UNITS mm		SIZE A4	DWG NO. 50389-XXXHXXX-XXX
SCALE 2:1		SHEET NO. 3 OF 3	REV G	PART NO. SEE NOTES